Page 1 of 2



figure in

ARROY BONGWARE

Commen

lasiad /

(67)

### Scientific and Technical Information Center

### Patent Intranet > NPL Virtual Library > Request a Search

Patents Home | Site Feedback

NPL Virtual Library Home | STIC Catalog | Site Guide | EIC | Automation Training/ITRPs | Contact Us | STIC Staff | FAQ |



130772

### Request a Search

Search requests relating to published applications, patent families, and litigation may be submitted by filling out this form and clicking on "Send."

For all other search requests, fill out the form, print, and submit the printout with any attachments to the STIC facility serving your Technology Center.

Tech Center:	
© TC 1600 © TC 1700 © TC 2100 © TC 2600 © TC 2900 © TC 3600 © TC 3700 © Law Lib	
Enter your Contact Information below:	
Name: Carolyn Bleck	
Employee Number: 79167 Phone: 3053981	
Art Unit or Office: 3626 Building & Room Number: C	PK5-7D20
Enter the case serial number (Required): 09/553877	
If not related to a patent application, please enter NA here.	03-25-04P12:50 RCVD
Class / Subclass(es) 705/4	
Earliest Priority Filing Date:	parent 08/285501 8/3/94 Abandoned
Format preferred for results:  Paper Diskette E-mail	parent 08/285501 8/3/94 Abandored Scontinuation 08/673647 6/25/96 patented Case Structure is a CIP of 08/673647
Provide detailed information on your search topic:	Filed 4/21/2000

- In your own words, describe in detail the concepts or subjects you want us to search.
- Include synonyms, keywords, and acronyms. Define terms that have special meanings.
- \*For Chemical Structure Searches Only\*
   Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers
- \*For Sequence Searches Only\*
   Include all pertinent information (parent, child, divisional, or issued patent numbers) along with

## Search request:

A search of the assignee PeopleSoft. I am looking for any information, press releases, product documents, with regards to Peoplesoft's administrative software. Preferably the articles would be before 6/25/96.

Also, a broader search for a system that allows for the real time performance of administrative functions, where the information entered into the system is verified against a standard. In addition, the system has a means for predefining which information is to be processed in real time and which information is to be queued and processed at a later time.

# Listing of the claims:

1	1. (Original) An integrated system for the real time administration of an organization,
2	said system comprising:
3	a plurality of networked computers;
4	at least one of said computers comprising an activity processor;
5	at least one of said computers comprising an activity scheduler;
6	at least one file server operatively connected to said networked computers;
7	means for real time performance of a plurality of functions relevant to
8	administration of said organization.
9	manual entry means for entering data relative to any of said functions;
10	data receiving and verifying means for receiving and verifying data from any of
11	said networked computers, against said manual entry means and said at
12	least one predetermined standard;
13	means responsive to said entered data and received data for real time updating of
14	said data across said network of computers relative to any of said
15	functions when desired;
16	data storage means for storing data;
17	display means for displaying any of said data;
18	means for predefining via said activity scheduler relative to said entered data that
19	selected first types of entered data are to be processed by said activity
20	processor in real time and that selected second types of said entered data
21	are to be queued for processing at another time;

PA2439US 2 Response to 01/27/2004 Office Action – Amendment B/After RCE

Peters et al.

22	menu driven means for defining a product in response to menu selections made b
23	a user; and
24	menu driven means for receiving a request into said network of computers by
25	displaying via said display means screens that vary depending upon said
26	request.
1	2. (Original) The system of claim 1 and further comprising means for generating a series
2	of questions to the user, and means for modifying the operation of said system to
3	globally conform to the answers to said questions.
1	3. (Original) The system of claim 2 and further comprising means defining four levels,
2	said levels comprising:
3	a database level;
4	a company level;
5	a product line level, and
6	a product level, each said level comprising a series of parameters which may be
7	selectively modified by the user, said system including means for
8	modifying said parameters at the command of the user and means
9	responsive to said modifying means for modifying said levels
10	independently or collectively as required.
1	4. (Original) The system of claim 3 wherein said database level comprises all
2	information stored in said data storage means.

1	5. (Original) The system of claim 3 wherein said company level comprises all data
2	relating to a single corporate entity.
1	6. (Original) The system of claim 3 wherein said product line level comprises menu
2	based generation of the parameters of a product line including products and
3	services.
. 1	7. (Original) The system of claim 3 wherein said product level comprises a plurality of
2	individual forms defining said product.
1	8. (Original) An improved method of configuring a computer based network system to
2	the real time requirements of an organization, said method comprising the steps
3	of:
4	generating a series of displayed questions to the user for defining at least
5	minimum characteristics of a product and which form letters to be used for
6	particular occasions, for each of said products to be defined;
7	receiving corresponding answers to said questions into said computer network and
8	using said answers to define said products;
9	electronically receiving and converting to data an application for said product into
10	said network via display menu screens that vary depending upon said
1,1	product that is desired and the menu selections made by said user;
12	deeming at least one of said computers an activity scheduler and deeming at least
13	one of the said computers an activity processor; and

14	processing said data and said answers in real time via the operations of said
15	activity scheduler and said activity processor.
1	9. (Original) An integrated system for the real time administration of an organization,
2	said system comprising:
3	a plurality of networked computers;
4	at least one of said computers comprising an activity processor;
5	at least one of said personal computers comprising an activity scheduler;
6	at least one file server operatively connected to said network;
7	means for real time performance of a plurality of predetermined functions;
8	manual entry means for entering data relative to any of said functions;
9	data receiving and verifying means for receiving, verifying and updating data
10	from any of said computers, said manual entry means and said at least one
11	file server against at least one predetermined standard;
12	means responsive to said entered data and received data for real time updating
13	data relative to any of said functions when desired;
14	data file means for storing data;
15	display means for displaying any of said data;
16	means for predefining via said activity scheduler that selected first types of
17	entered data are to be processed by said activity processor in real time and
18	that selected second types of entered data are to be queued for processing
19	at another time;
20	display means for displaying any of said data;

21	menu driven means for defining a product in response to menu selections made by
22	a user;
23	menu driven mean for receiving an application for said product into said network
24	by displaying, via said display means, screens that vary depending upon
25	said selected product;
26	means for providing a retrievable audit history of every function processed by
27	said system, said audit history at least retrievable by date, time and
28	transaction type;
29	means for defining a hierarchy of sales agents comprising who each sales agent
30	reports to and who reports to each sales agent, said means selectively
31	defining thereby a corresponding hierarchy for each product;
32	means for real time calculation of commissions for sales agents based on where
33	an agent is in said hierarchy;
34	means for the real time reversal of any transaction;
35	means for changing a sales agent's commission when a relevant transaction is
36	reversed;
37	means for calculating commission tax information; and means for printing a
38	commission tax form.
1	10. (Previously Presented) A method of real time administration of an organization using
2	a plurality of networked computers comprising:
3	simultaneously monitoring the input of data on discrete computers within said
4	plurality of networked computers;

3	comparing said data input to existing entries on said plurality of networked
6	computers;
7	determining if said data input matches preexisting data on said networked
8.	computers;
9	updating said preexisting data throughout said network;
10	entering menu driven parameters to define a new product on said plurality of
11	networked computers;
12	entering optional parameters for delayed updating of said data; and
13	prioritizing said updating of said data based on said optional parameters.
1	11. (Previously Presented) A network computer-based method of administering an
2	organization comprising:
3	entering discrete product definitions using questions in a menu-based architecture;
4	defining a new product in response to said definitions;
5	monitoring user input on computers of a computer network;
6	comparing said user input against existing data entries stored in said computer
7	network;
8	prioritizing updating of said existing data entries; and
9	updating said existing data entries on said computer network system to reflect said
10	user input, using said prioritization.
1	Claims 12-14 have been cancelled.
1	15. (Original) The method of claim 11 as implemented on a computer programmed to
2	execute said method where said method is in implemented in computer memory
	PA2439IIS 7 Peters et al.

3	encoded with executable instructions representing a computer program that car	1
4	cause a computer to perform the steps of said method.	

# 16. (Cancelled)

1	17. (Previously Presented) A system for administering an organization comprising:
. 2	a plurality of networked computers including at least one computer comprising an
3	activity processor, at least one of said computers comprising an activity
4	scheduler, where each of the computers has:
5	input means for inputting data,
6	data storage means for storing data,
7	display means for displaying said data,
8	manual entry means for defining administrative functions of said
9	organization,
10	means for real time performance of a plurality of functions relevant to said
11	administrative functions of said organization, and
12	data receiving and verifying means for receiving and verifying data from
13	any of said computers against said manual entry means and said at
14	least one file server against said defined administrative function;
15	at least one computer comprising a file server;
16	means responsive to said entered data and received data for real time updating of
17	said data relative to said defined administrative functions when desired;
18	means for predefining via said activity scheduler relative to said entered data that
19	selected first types of entered data are to be processed by said activity

20	processor in real time and that selected second types of said entered data
21	are to be queued for processing at another time;
22	menu driven means for defining a product in response to menu selections made by
23	a user; and
24	menu driven means for receiving a request into said network by displaying via
25	said display means screens, that vary depending upon said request.
1	18. (Previously Presented) The system of claim 17 and further comprising means for
2	generating a series of questions to the user; and means for modifying the
3	operation of said system to globally conform to the answers to said questions.
1	19. (Previously Presented) The system of claim 17 and further comprising means
2	defining four levels, said levels comprising a database level, a company level, a
3	product line level and a product level, each said level comprising a series of
4	parameters configured to be modified by the user, said system including means
5	for real-time modification of said parameters at the command of the user and
6	means responsive to said real time modification means for real time modification
7	of said levels independently or collectively as required.
1	20. (Previously Presented) A system for the administration of an organization
2	comprising:
3	a plurality of interconnected computers, the plurality of interconnected computers
4	including input means, display means and storage means;
5	means for menu-driven creation of user-defined parameters for selected
6	administrative functions;

7	means for distributed performance of said administrative functions responsive to
8	said user-defined parameters;
9	means for distributed availability of data throughout said plurality of networked
10	computers;
11	means for distributed performance of data reconciliation functions throughout
12	said plurality of interconnected computers, said reconciliation functions
13	including monitoring entry of said data, verification of said data and
14	integration of said data throughout said plurality of interconnected
15	computers; and
16	means for maintaining integrity of said data through an integrated, distributed
17	auditing function.
1	21. (Previously Presented) An integrated system for the real time administration of an
2	organization, said system comprising:
3	a plurality of networked computers,
4	at least a first of said networked computers comprising an activity
5	processor, said activity processor configured to execute one or
6	more of a plurality of functions using said data, said functions
7	relevant to administration of said organization, and
8	at least a second of said networked computers comprising an activity
9	scheduler, said activity scheduler configured to schedule execution
10	of the one or more of a plurality of functions using the first of said
11	networked computers, a first member of the plurality of functions
12	being scheduled for immediate execution and a second member of

13	the plurality of functions being scheduled for execution responsive
14	to a queue;
15	at least one file server operatively connected to said networked computers, said
16	file server configured to store data;
17	a manual entry mechanism configured for entering data relative to any of said
18	plurality of functions;
19	a data receiving and verifying system configured to receive and verify data from
20	any of said networked computers.
1	22. (Previously Presented) The system of claim 21, wherein the first member of the
2	plurality of functions is a critical insurance function and the second member of
3	the plurality of functions is a non-critical insurance function.
1	23. (Previously Presented) The system of claim 21, wherein the first member of the
2	plurality of functions is an insurance premium calculation.
1	24. (Previously Presented) The system of claim 21, further comprising an interface
2	configured to display a series of questions to a user and to receive answers in
3	response to the series of questions, global data being modified responsive to the
4	received answers.
1	25. (Previously Presented) A system for administering an organization comprising:
2	manual entry configured for entering discrete product definitions responsive to
3	questions presented to a user in a menu-based architecture, the discrete
4	product definitions being for a new product;

5	data storage configured for storing existing data entries; and
6	a plurality of processors, the plurality configured for defining a product in
7	response to said definitions, configured for monitoring user input on a
8	network computer, configured for comparing said user input against said
9	existing data entries, configured for prioritizing updating of said existing
10	data entries, and configured for updating said existing data entries on said
11	storage to reflect said user input, on basis of using said prioritization.
1 .	26. (Cancelled)
1	27. (Cancelled)
1	28. (Previously Presented) A method of administering an organization, the method
2	comprising:
3	interconnecting a plurality of computers, the plurality including input means,
4	display means and storage means;
. 5	creating user-defined parameters for selected administrative functions, using a
6	menu-driven system;
7	performing said administrative functions responsive to said parameters defined by
8	said user, in a distributed manner;
9	making said data available throughout said plurality of networked computers;
10	performing data reconciliation functions, the performance distributed throughout
11	said plurality of interconnected computers; said reconciliation functions
12	including monitoring entry of said data, verification of said data and

13	integration of said data throughout said pluranty of interconnected
14	computers; and
15	maintaining integrity of said data through an integrated, distributed auditing
16	function.
1	29. (Previously Presented) A system for administering an organization comprising:
2	a plurality of networked computers, at least one member of said plurality of
3	networked computers including an activity processor, at least one member
4	of said plurality of networked computers including an activity scheduler,
5	and at least one member of said plurality of networked computer including
.6	a file server, said plurality of networked computers having:
7	input means for inputting data,
8	data storage means for storing data,
9	display means for displaying said data,
10	manual entry means for defining administrative functions of said
11	organization,
12	means for real time performance of a plurality of functions relevant
13	to said administrative functions of said organization, and
14	data receiving and verifying means for receiving and verifying data
15	from any of said computers against said manual entry
16	means and said at least one file server against said defined
17	administrative function;
18	means responsive to said entered data and received data for real time updating of
19	said data relative to said defined administrative functions when desired;

20	means for predefining via said activity scheduler relative to said entered data that
21	selected first types of entered data are to be processed by said activity
22 .	processor in real time and that selected second types of said entered data
23	are to be queued for processing at another time;
24	menu driven means for defining a product in response to menu selections made by
25	a user; and
26	menu driven means for receiving a request into said network by displaying via
27	said display means screens, that vary depending upon said request.